

CITY OF TEMECULA

CONDITIONS OF APPROVAL ACCEPTANCE

Planning Application Number: PA24-0069

Parcel Number(s):

921-030-043

By signing below, I/we have agreed to the following Conditions of Approval, including (but not limited to) any referenced documents, local, state, or federal regulations, statement of operations, hours of operation, floor plans, site plans, and Conditions that may require the payment or reimbursement of fees, as described. I/we have read the attached Conditions of Approval and understand them. I/we also understand that violations or non-compliance with these Conditions of Approval, may delay a project, and/or result in the revocation of a permit in accordance with the Temecula Municipal Code. I/we are also responsible for disclosing these Conditions of Approval to any successive owners/operators. I/we agree and commit to the City of Temecula that I/we will implement and abide by the Conditions of Approval, including any indemnification requirements imposed by those conditions.

Property Owner Printed Name

NAZ RE HOLDINGS 2, LLC

Property Owner Signature & Date

LAMIAN
BURKE

LBurke 9/11/2024
AUTHORIZED SIGNATORY

Applicant Printed Name

Adam Kooienga

Applicant Signature & Date

Adam Kooienga 8/27/24

EXHIBIT A
CITY OF TEMECULA
FINAL CONDITIONS OF APPROVAL

Planning Application No.: PA24-0069

Project Description: Tesla Temecula Collision Center MOD, a Modification application to review revisions for the site and elevations of an existing light industrial structure. The project is located at 27635 Diaz Road.

Assessor's Parcel No.: 921-030-043

MSHCP Category: N/A (No New Square Footage or Grading)

DIF Category: N/A (No New Square Footage)

TUMF Category: Per WRCOG Requirements

Quimby Category: N/A (Non-Residential Project)

New Street In-lieu of Fee: N/A (Not Located within the Uptown Temecula Specific Plan)

Approval Date: August 9, 2024

Expiration Date: August 9, 2027

PLANNING DIVISION

General Requirements

1. ADA Parking. All ADA parking stalls on the premises shall be marked in accordance with Section 22511.8 of the California Vehicle Code.

2. Indemnification of the City. Indemnity, Duty to Defend and Obligation to Pay Judgments and Defense Costs, Including Attorneys' Fees, Incurred by the City. The Applicant shall defend, indemnify, and hold harmless the City, its elected officials, officers, employees, volunteers, agents, and those City agents serving as independent contractors in the role of City officials (collectively "Indemnitees") from and against any claims, damages, actions, causes of actions, lawsuits, suits, proceedings, losses, judgments, costs, and expenses (including, without limitation, attorneys' fees or court costs) in any manner arising out of or incident to the Planning Commission's actions, this approval and the City Council's actions, related entitlements, or the City's environmental review thereof. The Applicant shall pay and satisfy any judgment, award or decree that may be rendered against City or the other Indemnitees in any such suit, action, or other legal proceeding. The City shall promptly notify the Applicant of any claim, action, or proceeding and the City shall reasonably cooperate in the defense. If the City fails to promptly notify the Applicant of any claim, action, or proceeding, or if the City fails to reasonably cooperate in the defense, the Applicant shall not thereafter be responsible to defend, indemnify, or hold harmless the City or the Indemnitees. The City shall have the right to select counsel of its choice. The Applicant shall reimburse the City, and the other Indemnitees, for any and all legal expenses and costs incurred by each of them in connection therewith or in enforcing the indemnity herein provided. Nothing in this condition shall be construed to require the Applicant to indemnify Indemnitees for any claim arising from the sole negligence or willful misconduct of the Indemnitees. In the event such a legal action is filed challenging the City's determinations herein or the issuance of the approval, the City shall estimate its expenses for the litigation. The Applicant shall deposit said amount with the City or, at the discretion of the City, enter into an agreement with the City to pay such expenses as they become due.

3. Test Bond Language. The developer shall comply with the provisions of Chapter 24, Section 18.24.140 of the Temecula Municipal Code by posting security and entering into an agreement to guarantee the erosion & sediment control improvements."

4. Expiration. This approval shall be used within three years of the approval date; otherwise, it shall become null and void. Use means the beginning of substantial construction contemplated by this approval within the three year period, which is thereafter diligently pursued to completion, or the beginning of substantial utilization contemplated by this approval, or use of a property in conformance with a Conditional Use Permit.
A modification made to an approved development plan does not affect the original approval date of a development plan.

5. Time Extension. The Director of Community Development may, upon an application being filed prior to expiration, and for good cause, grant a time extension of up to five extensions of time, one year at a time.
A modification made to an approved development plan does not affect the original approval date of a development plan.

6. Block Wall Coating. All perimeter constructed block walls in the public view shall be finished with an anti-graffiti coating and shall provide documentation confirming the installation of the coating.

7. Conformance with Approved Plans. The development of the premises shall substantially conform to the approved site plan and elevations contained on file with the Planning Division.

8. Signage Permits. A separate building permit shall be required for all signage.

9. Landscape Maintenance. Landscaping installed for the project shall be continuously maintained to the reasonable satisfaction of the Director of Community Development. If it is determined that the landscaping is not being maintained, the Director of Community Development shall have the authority to require the property owner to bring the landscaping into conformance with the approved landscape plan. The continued maintenance of all landscaped areas shall be the responsibility of the developer or any successors in interest.

10. Water Quality and Drainage. Other than stormwater, it is illegal to allow liquids, gels, powders, sediment, fertilizers, landscape debris, and waste from entering the storm drain system or from leaving the property. To ensure compliance with this Condition of Approval:
 - a. Spills and leaks shall be cleaned up immediately.
 - b. Do not hose down parking areas, sidewalks, alleys, or gutters.
 - c. Ensure that all materials and products stored outside are protected from rain.
 - d. Ensure all trash bins are covered at all times.

11. Paint Inspection. The applicant shall paint a three-foot-by-three-foot section of the building for Planning Division inspection, prior to commencing painting of the building.

12. Photographic Prints. The applicant shall submit to the Planning Division for permanent filing two 8" X 10" glossy photographic color prints of the approved color and materials board and the colored architectural elevations. All labels on the color and materials board and elevations shall be readable on the photographic prints.

13. Materials and Colors. The Conditions of Approval specified in this resolution, to the extent specific items, materials, equipment, techniques, finishes or similar matters are specified, shall be deemed satisfied by City staff's prior approval of the use or utilization of an item, material, equipment, finish or technique that City staff determines to be the substantial equivalent of that required by the Conditions of Approval. Staff may elect to reject the request to substitute, in which case the real party in interest may appeal, after payment of the regular cost of an appeal, the decision to the Planning Commission for its decision.
Fabric Awning Material: Charcoal Grey, Sunbrella: 4644-0000
Wall Colors: Benjamin Moore Trout Grey 2124-20, Benjamin Moore Bunny Grey 2124-50

14. Modifications or Revisions. The developer shall obtain City approval for any modifications or revisions to the approval of this project.

15. Trash Enclosures. The trash enclosures shall be large enough to accommodate a recycling bin, as well as regular solid waste containers.

16. Trash Enclosures. Trash enclosures shall be provided to house all trash receptacles utilized on the site. These shall be clearly labeled on the site plan.

17. Covered Trash Enclosures. All trash enclosures on site shall include a solid cover and the construction plans shall include all details of the trash enclosures, including the solid cover in accordance with T.M.C. 17.10.020.S

18. Roof Mounted Mechanical Equipment Screening. The applicant shall be required to screen all roof mounted mechanical equipment from view of all residences and public right of ways. If upon final inspection it is determined that any roof equipment or backs of building parapet walls are visible from any portion of the public right of way adjacent to the project site, the developer shall provide screening that shall be reviewed and approved by the Director of Community Development.

19. Construction and Demolition Debris. The developer shall contact the City's franchised solid waste hauler for disposal of construction and demolition debris and shall provide the Planning Division verification of arrangements made with the City's franchise solid waste hauler for disposal of construction and demolition debris. Only the City's franchisee may haul demolition and construction debris.

Prior to Issuance of Grading Permit

20. Placement of Transformer. Provide the Planning Division with a copy of the underground water plans and electrical plans for verification of proper placement of transformer(s) and double detector check valves prior to final agreement with the utility companies.
21. Placement of Double Detector Check Valves. Double detector check valves shall be installed at locations that minimize their visibility from the public right-of-way, subject to review and approval by the Director of Community Development.
22. Archaeological/Cultural Resources Grading Note. The following shall be included in the Notes Section of the Grading Plan: "If at any time during excavation/construction of the site, archaeological/cultural resources, or any artifacts or other objects which reasonably appears to be evidence of cultural or archaeological resource are discovered, the property owner shall immediately advise the City of such and the City shall cause all further excavation or other disturbance of the affected area to immediately cease. The Director of Community Development at their sole discretion may require the property owner to deposit a sum of money it deems reasonably necessary to allow the City to consult and/or authorize an independent, fully qualified specialist to inspect the site at no cost to the City, in order to assess the significance of the find. Upon determining that the discovery is not an archaeological/ cultural resource, the Director of Community Development shall notify the property owner of such determination and shall authorize the resumption of work. Upon determining that the discovery is an archaeological/cultural resource, the Director of Community Development shall notify the property owner that no further excavation or development may take place until a mitigation plan or other corrective measures have been approved by the Director of Community Development."
23. Cultural Resources Treatment Agreement. The developer is required to enter into a Cultural Resources Treatment Agreement with the Pechanga Tribe. The agreement shall be in place prior to issuance of a grading permit. To accomplish this, the applicant should contact the Pechanga Tribe no less than 30 days and no more than 60 days prior to issuance of a grading permit. This Agreement will address the treatment and disposition of cultural resources, the designation, responsibilities, and participation of professional Pechanga Tribal monitors during grading, excavation and ground disturbing activities; project grading and development scheduling; terms of compensation for the monitors; and treatment and final disposition of any cultural resources, sacred sites, and human remains discovered onsite. The Pechanga monitor's authority to stop and redirect grading will be exercised in consultation with the project archaeologist in order to evaluate the significance of any potential resources discovered on the property. Pechanga and archaeological monitors shall be allowed to monitor all grading, excavation and groundbreaking activities, and shall also have the limited authority to stop and redirect grading activities should an inadvertent cultural resource be identified.
24. Discovery of Cultural Resources. The following shall be included in the Notes Section of the Grading Plan: "If cultural resources are discovered during the project construction (inadvertent discoveries), all work in the area of the find shall cease, and the qualified archaeologist and the Pechanga monitor shall investigate the find, and make recommendations as to treatment."

25. Archaeological Monitoring Notes. The following shall be included in the Notes Section of the Grading Plan: "A qualified archaeological monitor will be present and will have the authority to stop and redirect grading activities, in consultation with the Pechanga Tribe and their designated monitors, to evaluate the significance of any archaeological resources discovered on the property."
26. Tribal Monitoring Notes. The following shall be included in the Notes Section of the Grading Plan: "A Pechanga Tribal monitor will be present and will have the authority to stop and redirect grading activities, in consultation with the project archaeologist and their designated monitors, to evaluate the significance of any potential resources discovered on the property."
27. Relinquishment of Cultural Resources. The following shall be included in the Notes Section of the Grading Plan: "The landowner agrees to relinquish ownership of all cultural resources, including all archaeological artifacts that are found on the project area, to the Pechanga Tribe for proper treatment and disposition."
28. Preservation of Sacred Sites. The following shall be included in the Notes Section of the Grading Plan: "All sacred sites are to be avoided and preserved."
29. MSHCP Pre-Construction Survey. A 30-day preconstruction survey, in accordance with MSHCP guidelines and survey protocol, shall be conducted prior to ground disturbance. The results of the 30-day preconstruction survey shall be submitted to the Planning Division prior to scheduling the pre-grading meeting with Public Works. If construction is delayed or suspended for more than 30 days after the survey, the area shall be resurveyed.
30. Rough Grading Plans. A copy of the Rough Grading Plans shall be submitted and approved by the Planning Division.
31. Archaeologist Retained. Prior to beginning project construction, the Project Applicant shall retain a Riverside County qualified/City of Temecula approved archaeological monitor to monitor all ground-disturbing activities in an effort to identify any unknown archaeological resources. Any newly discovered cultural resource deposits shall be subject to a cultural resources evaluation. The archaeological monitor's authority to stop and redirect grading will be exercised in consultation with the Pechanga Tribe in order to evaluate the significance of any potential resources discovered on the property. Pechanga and archaeological monitors shall be allowed to monitor all grading, excavation and groundbreaking activities, and shall also have the limited authority to stop and redirect grading activities should an inadvertent cultural resource be identified. The archaeologist shall provide a final monitoring report at the end of all earthmoving activities to the City of Temecula, the Pechanga Tribe and the Eastern Information Center at UC, Riverside.
32. Human Remains. If human remains are encountered, California Health and Safety Code Section 7050.5 states that no further disturbance shall occur until the Riverside County Coroner has made the necessary findings as to origin. Further, pursuant to California Public Resources Code Section 5097.98(b) remains shall be left in place and free from disturbance until a final decision as to the treatment and disposition has been made. If the Riverside County Coroner determines the remains to be Native American, the Native American Heritage Commission must be contacted within 24 hours. The Native American Heritage Commission must then immediately identify the "most likely descendant(s)" of receiving notification of the discovery. The most likely descendant(s) shall then make recommendations within 48 hours, and engage in consultations concerning the treatment of the remains as provided in Public Resources Code 5097.98 and the Treatment Agreement described in these conditions.

33. Parking Area Landscaping. The Landscaping and Irrigation Plans shall provide a minimum five-foot wide planter to be installed at the perimeter of all parking areas. Curbs, walkways, etc. are not to infringe on this area.
34. Downspouts. All downspouts shall be internalized.
35. Photometric Plan. The applicant shall submit a photometric plan, including the parking lot, to the Planning Division, which meets the requirements of the Development Code and the Riverside County Palomar Lighting Ordinance 655. All exterior LED light fixtures shall be 3,000 kelvin or below. The parking lot light standards shall be placed in such a way as to not adversely affect the growth potential of the parking lot trees.
36. Construction Landscaping and Irrigation Plans Construction Landscaping and Irrigation Plans shall be reviewed and approved by the Planning Division. These plans shall be submitted as a separate submittal, not as part of the building plans or other plan set. These plans shall conform to the approved conceptual landscape plan, or as amended by these conditions. The location, number, height and spread, water usage or KC value, genus, species, and container size of the plants shall be shown. The plans shall be consistent with the Water Efficient Ordinance and Water Storage Contingency Plan per the Rancho California Water District. The plans shall be accompanied by the appropriate filing fee (per the City of Temecula Fee Schedule at time of submittal) and one copy of the approved Grading Plan.
37. Landscaping Site Inspections. The Landscaping and Irrigation Plans shall include a note stating, "Three landscape site inspections are required. The first inspection will be conducted at installation of irrigation while trenches are open. This will verify that irrigation equipment and layout is per plan specifications and details. Any adjustments or discrepancies in actual conditions will be addressed at this time and will require an approval to continue. Where applicable, a mainline pressure check will also be conducted. This will verify that the irrigation mainline is capable of being pressurized to 150 psi for a minimum period of two hours without loss of pressure. The second inspection will verify that all irrigation systems are operating properly, and to verify that all plantings have been installed consistent with the approved construction landscape plans. The third inspection will verify property landscape maintenance for release of the one-year landscape maintenance bond." The applicant/owner shall contact the Planning Division to schedule inspections.
38. Agronomic Soils Report. The Landscaping and Irrigation Plans shall include a note on the plans stating, "The contractor shall provide two copies of an agronomic soils report at the first irrigation inspection."
39. Water Usage Calculations. The Landscaping and Irrigation Plans shall include water usage calculations per Chapter 17.32 of the Development Code (Water Efficient Ordinance), the total cost estimate of plantings and irrigation (in accordance with approved plan). Applicant shall use evapotranspiration (ET_o) factor of 0.70 for calculating the maximum allowable water budget.
40. Landscape Maintenance Program. A landscape maintenance program shall be submitted to the Planning Division for approval. The landscape maintenance program shall detail the proper maintenance of all proposed plant materials to assure proper growth and landscape development for the long-term esthetics of the property. The approved maintenance program shall be provided to the landscape maintenance contractor who shall be responsible to carry out the detailed program.

41. Specifications of Landscape Maintenance Program. Specifications of the landscape maintenance program shall indicate, "Three landscape site inspections are required. The first inspection will be conducted at installation of irrigation while trenches are open. This will verify that irrigation equipment and layout is per plan specifications and details. Any adjustments or discrepancies in actual conditions will be addressed at this time and will require an approval to continue. Where applicable, a mainline pressure check will also be conducted. This will verify that the irrigation mainline is capable of being pressurized to 150 psi for a minimum period of two hours without loss of pressure. The second inspection will verify that all irrigation systems are operating properly, and to verify that all plantings have been installed consistent with the approved construction landscape plans. The third inspection will verify property landscape maintenance for release of the one-year landscape maintenance bond." The applicant/owner shall contact the Planning Division to schedule inspections.
42. Irrigation. The landscaping plans shall include automatic irrigation for all landscaped areas and complete screening of all ground mounted equipment from view of the public from streets and adjacent property for private common areas; front yards and slopes within individual lots; shrub planting to completely screen perimeter walls adjacent to a public right-of-way equal to 66 feet or larger; and, all landscaping excluding City maintained areas and front yard landscaping which shall include, but may not be limited to, private slopes and common areas.
43. Hardscaping. The landscape plans shall include all hardscaping for equestrian trails and pedestrian trails within private common areas.
44. Precise Grading Plans. Precise Grading Plans shall be consistent with the approved rough grading plans including all structural setback measurements.
45. Building Construction Plans for Outdoor Areas. Building Construction Plans shall include detailed outdoor areas (including but not limited to trellises, decorative furniture, hardscape, etc.) to match the style of the building subject to the approval of the Director of Community Development.
46. WQMP Landscape Compliance. The construction landscape plans shall be consistent with Appendix A, Table 31 of the Low Impact Development (LID) Manual for Southern California for plant materials and treatment facilities, and shall reference the approved precise grading plan for WQMP features.
47. Utility Screening. All utilities shall be screened from public view. Landscape construction drawings shall show and label all utilities and provide appropriate screening. Provide a three-foot clear zone around fire check detectors as required by the Fire Department before starting the screen. Group utilities together in order to reduce intrusion. Screening of utilities is not to look like an after-thought. Plan planting beds and design around utilities. Locate all light poles on plans and ensure that there are no conflicts with trees.
48. Landscape Pre-construction Meeting. Prior to issuance of any Building Permits, a pre-construction landscape meeting shall be held between the project manager, assigned Planner, and the City's landscape consultant.

PUBLIC WORKS DEPARTMENT

General Requirements

49. Conditions of Approval. The developer shall comply with all Conditions of Approval, the Engineering and Construction Manual and all City codes/standards at no cost to any governmental agency.

50. Entitlement Approval. The developer shall comply with the approved site plan, the conceptual Water Quality Management Plan (WQMP) and other relevant documents approved during entitlement. Any significant omission to the representation of site conditions may require the plans to be resubmitted for further review and revision.
51. Precise Grading Permit. A precise grading permit for on site improvements (outside of public right-of-way) shall be obtained from Public Works.
52. Haul Route Permit. A haul route permit may be required when soils are moved on public roadways to or from a grading site. The developer/contractor is to verify if the permit is required. If so, he shall comply with all conditions and requirements per the City's Engineering and Construction Manual and as directed by Public Works.
53. Encroachment Permits. Prior to commencement of any applicable construction, encroachment permit(s) are required and shall be obtained from Public Works for public offsite improvements.
54. Street Improvement Plans. The developer shall submit public street improvement plans for review and approval by Public Works. The plans shall be in compliance with Caltrans and City codes/standards; and shall include, but not limited to, plans and profiles showing existing topography, existing/proposed utilities, proposed centerline, top of curb and flowline grades.
55. Private Drainage Facilities. All onsite drainage and water quality facilities shall be privately maintained.

Prior to Issuance of a Grading Permit

56. Environmental Constraint Sheet (ECS). The developer shall comply with all constraints per the recorded ECS with any underlying maps related to the subject property.
57. Grading/Erosion & Sediment Control Plan. The developer shall submit a grading/erosion & sediment control plan(s) to be reviewed and approved by Public Works. All plans shall be coordinated for consistency with adjacent projects and existing improvements contiguous to the site. The approved plan shall include all construction-phase pollution-prevention controls to adequately address non-permitted runoff. Refer to the City's Engineering & Construction Manual at: www.TemeculaCA.gov/ECM
58. Erosion & Sediment Control Securities. The developer shall comply with the provisions of Chapter 18, Section 18.24.140 of the Temecula Municipal Code by posting security and entering into an agreement to guarantee the erosion & sediment control improvements.
59. NPDES General Permit Compliance. The developer shall obtain project coverage under the State National Pollutant Discharge Elimination System (NPDES) General Permit for Construction Activities and shall provide the following:
 - a. A copy of the Waste Discharge Identification Number (WDID) issued by the State Water Resources Control Board (SWRCB);
 - b. The project's Risk Level (RL) determination number; and
 - c. The name, contact information and certification number of the Qualified SWPPP Developer (QSD)Pursuant to the State Water Resources Control Board (SWRCB) requirements and City's storm water ordinance, a Storm Water Pollution Prevention Plan (SWPPP) shall be generated and submitted to the Board. Throughout the project duration, the SWPPP shall be routinely updated and readily available (onsite) to the State and City. Review www.cabmphandbooks.com for SWPPP guidelines. Refer to the following link: http://www.waterboards.ca.gov/water_issues/programs/stormwater/construction.shtml

60. Water Quality Management Plan (WQMP) and O&M Agreement. The developer shall submit a final WQMP (prepared by a registered professional engineer) with the initial grading plan submittal, based on the conceptual WQMP from the entitlement process. It must receive acceptance by Public Works. A copy of the final project-specific WQMP must be kept onsite at all times. In addition, a completed WQMP Operation and Maintenance (O&M) Agreement shall be submitted for review and approval. Upon approval from City staff, the applicant shall record the O&M agreement at the County Recorder's Office in Temecula. Refer to the WQMP template and agreement link: www.TemeculaCA.gov/WQMP. As part of the WQMP approval, the Engineer of Record shall report and certify BMP construction per City of Temecula NPDES requirements. Should the project require Alternative Compliance, the developer is responsible for execution of an approved Alternative Compliance Agreement.
61. Area Drainage Plan (ADP) Fee to RCFC&WCD. The developer shall demonstrate to the City that the flood mitigation charge (ADP fee) has been paid to RCFC&WCD. If the full ADP fee has already been credited to this property, no new charge will be required.
62. Drainage. All applicable drainage shall be depicted on the grading plan and properly accommodated with onsite drainage improvements and water quality facilities, which shall be privately maintained. Alterations to existing drainage patterns or concentration and/or diverting flows is not allowed unless the developer constructs adequate drainage improvements and obtains the necessary permissions from the downstream property owners. All drainage leaving the site shall be conveyed into a public storm drain system, if possible. The creation of new cross lot drainage is not permitted.
63. Drainage Study. A drainage study shall be prepared by a registered civil engineer and submitted to Public Works with the initial grading plan check in accordance with City, Riverside County and engineering standards. The study shall identify storm water runoff quantities (to mitigate the 10 and 100-year storm event for 24 hour storm duration peak flow) from the development of this site and upstream of the site. It shall identify all existing or proposed offsite or onsite, public or private, drainage facilities intended to discharge this runoff. Runoff shall be conveyed to an adequate outfall capable of receiving the storm water runoff without damage to public or private property. The study shall include a capacity analysis verifying the adequacy of all facilities. Any upgrading or upsizing of drainage facilities necessary to convey the storm water runoff shall be provided as part of development of this project.
64. Soils Report. A soils report, prepared by a registered soil or civil engineer, shall be submitted to Public Works with the initial grading plan submittal. The report shall address the site's soil conditions and provide recommendations for the construction of engineered structures and preliminary pavement sections.
65. Letter of Permission/Easement. The developer shall obtain documents (letters of permission or easements) for any offsite work performed on adjoining properties. The document's format is as directed by, and shall be submitted to, Public Works for acceptance. The document information shall be noted on the approved grading plan.
66. Sight Distance. The developer shall limit landscaping in the corner cut-off area of all street intersections and adjacent to driveways to provide for minimum sight distance and visibility.
67. American Disability Act. The developer shall ensure that all frontage areas to the proposed development within the public right of way are ADA compliant. Any sidewalk within the public right of way found to be non-compliant shall be the responsibility of the property owner to be removed and replaced with ADA compliant sidewalk per the Streets and Highway Code Section 5610.

Prior to Issuance of Encroachment Permit(s)

68. Public Utility Agency Work. The developer shall submit all relevant documentation due to encroaching within City right-of-way; and is responsible for any associated costs and for making arrangements with each applicable public utility agency.
69. Traffic Control Plans. A construction area traffic control plan (TCP) will be required for lane closures and detours or other disruptions to traffic circulation; and shall be reviewed and approved by Public Works. The TCP shall be designed by a registered civil or traffic engineer in conformance with the latest edition of the Caltrans Manual on Uniform Traffic Control Devices (MUTCD) and City standards.
70. Improvement Plans. All improvement plans (including but not limited to street, storm drain, traffic) shall be reviewed and approved by Public Works.
71. Street Trenching. All street trenches shall conform to City Standard No. 407; refer to the City's Paving Notes.

Prior to Issuance of Building Permit(s)

72. Construction of Street Improvements. All street improvement plans shall be approved by Public Works. The developer shall start construction of all public street improvements, as outlined below, in accordance to the City's General Plan/Circulation Element and corresponding City standards. All street improvement designs shall provide adequate right-of-way and pavement transitions per Caltrans' standards to join existing street improvements.
 - a. Diaz Road (Major Arterial (4 lanes divided) Highway Standard No. 101 – 100' R/W) to include installation of sidewalk, streetlights, drainage facilities and utilities (including but not limited to water and sewer), at the discretion of the Director of Public Works.
73. Street Lights.
 - a. Street Light Plan – Street lighting shall be designed in accordance with the latest City Standards and Specifications for LS-3 street light rates, and as determined by the City Engineer.
 - b. Onsite and Offsite Street Lights Ownership and Maintenance – All proposed public and private streetlights shall be designed in accordance with City approved standards and specifications, or as determined and approved by the City Engineer. The City shall have ownership and maintenance of all proposed public streetlights and associated appurtenances, and shall be provided with adequate service points for power. The design shall be incorporated in the project's street improvement plans or in a separate street light plan as determined and approved by the City Engineer.
 - c. Streetlight Design as LS-3 Rate Lights – All new streetlights shall be designed as LS-3 rate lights in accordance with approved City standards and specifications, and as determined by the City Engineer.
 - d. Street Light Service Point Addressing – The developer shall coordinate with the PW Department and with Southern California Edison the assignment of addresses to required street light service points. Service points serving public streetlights shall be owned by the City and shall be located within public's right of way or within duly dedicated public easements.
74. Certifications. Certifications are required from the registered civil engineer-of-record certifying the building pad elevation(s) per the approved plans and from the soil's engineer-of-record certifying compaction of the building pad(s).

Prior to Issuance of a Certificate of Occupancy

75. Completion of Improvements. The developer shall complete all work per the approved plans and Conditions of Approval to the satisfaction of the City Engineer. This includes all on site work (including water quality facilities), public improvements and the executed WQMP Operation and Maintenance agreement.
76. Utility Agency Clearances. The developer shall receive written clearance from applicable utility agencies (i.e., Rancho California and Eastern Municipal Water Districts, etc.) for the completion of their respective facilities and provide to Public Works.
77. Replacement of Damaged Improvements/Monuments. Any appurtenance damaged or broken during development shall be repaired or removed and replaced to the satisfaction of Public Works. Any survey monuments damaged or destroyed shall be reset per City Standards by a qualified professional pursuant to the California Business and Professional Code Section 8771.
78. Certifications. All necessary certifications and clearances from engineers, utility companies and public agencies shall be submitted as required by Public Works.
79. Water Quality Management Plan (WQMP) Verification. As part of the WQMP approval, the Engineer of Record shall report and certify BMP construction per City of Temecula NPDES requirements. Should the project require alternative compliance, the developer is responsible for execution of an approved Alternative Compliance Agreement.

BUILDING AND SAFETY DIVISION

General Requirements

80. Final Building and Safety Conditions. Final Building and Safety conditions will be addressed when building construction plans are submitted to Building and Safety for review. These conditions will be based on occupancy, use, the California Building Code (CBC), and related codes which are enforced at the time of building plan submittal.
81. Compliance with Code. All design components shall comply with applicable provisions of the most current edition of the California Building, Plumbing and Mechanical Codes; California Electrical Code; California Administrative Code, Title 24 Energy Code, California Title 24 Disabled Access Regulations, and Temecula Municipal Code as identified in Title 15 of the Temecula Municipal Code.
82. ADA Access. Applicant shall provide details of all applicable disabled access provisions and building setbacks on plans to include:
 - a. Disabled access from the public way to the main entrance of the building.
 - b. Van accessible parking located as close as possible to the main entrance of the building.
 - c. Accessible path of travel from parking to the furthest point of improvement.
 - d. Path of accessibility from parking to furthest point of improvement.
 - e. Accessible path of travel from public right-of-way to all public areas on site, such as trash enclosures, clubhouses, and picnic areas.
83. County of Riverside Mount Palomar Ordinance. Applicant shall submit, at time of plan review, a complete exterior site lighting plan showing compliance with County of Riverside Mount Palomar Ordinance Number 655 for the regulation of light pollution. All streetlights and other outdoor lighting shall be shown on electrical plans submitted to the Building and Safety Division. Any outside lighting shall be hooded and aimed not to shine directly upon adjoining property or public rights-of-way. All exterior LED light fixtures shall be 3,000 kelvin or below.
84. Obtain Approvals Prior to Construction. Applicant must obtain all building plans and permit approvals prior to commencement of any construction work.

85. Obtaining Separate Approvals and Permits. Trash enclosures, patio covers, light standards, and any block walls will require separate approvals and permits. Solid covers are required over new and existing trash enclosures.
86. Demolition. Demolition permits require separate approvals and permits.
87. Hours of Construction. Signage shall be prominently posted at the entrance to the project, indicating the hours of construction, as allowed by the City of Temecula Code Section 9.20.060, for any site within one-quarter mile of an occupied residence. The permitted hours of construction are Monday through Saturday from 7:00 a.m. to 6:30 p.m. No work is permitted on Sundays and nationally recognized Government Holidays.

FIRE PREVENTION

General Requirements

88. Fire Hydrants. The Fire Prevention Bureau is required to set minimum fire hydrant distances per CFC Appendix C. Super fire hydrants (6" x 4" x (2) 2 ½" outlets) shall be located on fire access roads and adjacent public streets. For all Commercial projects hydrants shall be spaced at 350 feet apart, and shall be located no more than 210 feet from any point on the street or Fire Department access road(s) frontage to a hydrant. The required fire flow shall be available from any adjacent hydrant(s) in the system. The fire line may be required to be a looped system. The upgrade of existing fire hydrants will be required and hydrants will be required to be added on the rear of the property to have complete suite coverage. (CFC Appendix C and Temecula Municipal Code Section 15.16.020).
89. Fire Dept. Plan Review. Final fire and life safety conditions will be addressed when building plans are reviewed by the Fire Prevention Bureau. These conditions will be based on occupancy, use, the California Building Code (CBC), California Fire Code (CFC), and related codes which are in force at the time of building plan submittal.
90. Fire Flow. The Fire Prevention Bureau is required to set a minimum fire flow for the remodel or construction of all commercial I buildings per CFC Appendix B. The developer shall provide for this project, a water system capable of delivering 2,400 GPM at 20-PSI residual operating pressure for a 4-hour duration for commercial projects. The fire flow as given above has taken into account all information as provided. (CFC Appendix B and Temecula Municipal Code Section 15.16.020).
91. Fire Requirement - Spray Booths and Extinguishing Systems. Permits shall be submitted electronically for all spray booth and the sprinkler system proposed for the spray booths. Plans shall be submitted prior to the release of building permits.

Prior to Issuance of Grading Permit(s)

92. Access Road Widths. Fire Department vehicle access roads shall have an unobstructed width of not less than 24 feet and an unobstructed vertical clearance of not less than 13 feet 6 inches (CFC Chapter 5 and Temecula Municipal Code Section 15.16.020).
93. Turning Radius. Minimum outside turning radius shall be 45 feet for commercial projects. (CFC Chapter 5 along with the Temecula Municipal Code Section 15.16.020).
94. Fire Dept. Turnaround. Dead end fire lanes, roadways and streets in excess of 150 feet shall have a turnaround capable of accommodating fire apparatus (CFC Chapter 5 and Temecula Municipal Code Section 15.16.020).

Prior to Issuance of Building Permit(s)

95. Required Submittals (Fire Underground Water). The developer shall furnish the water system plans electronically to the Fire Prevention Bureau for approval prior to installation for all private water systems pertaining to the fire service loop which includes any alternations or modifications to the existing fire underground system. Plans shall be signed by a registered civil engineer, contain a Fire Prevention Bureau approval signature block, and conform to hydrant type, location, spacing and minimum fire flow standards. Hydraulic calculations will be required with the underground submittal to ensure fire flow requirements are being met for the on-site hydrants. The plans must be submitted and approved prior to building permit being issued (CFC Chapter 33 and Chapter 5).
96. Required Submittals (Fire Sprinkler Systems). Fire sprinkler plans shall be submitted electronically to the Fire Prevention Bureau for approval for any changes or modifications to the existing fire sprinkler system. Fire sprinkler plans must be submitted by the installing contractor to the Fire Prevention Bureau. These plans must be submitted prior to the issuance of building permit.
97. Required Submittals (Fire Alarm Systems). Fire alarm plans shall be submitted electronically to the Fire Prevention Bureau for approval for any changes or alterations to the existing fire alarm system. Fire alarm plans must be submitted by the installing contractor to the Fire Prevention Bureau. The fire alarm system is required to have a dedicated circuit from the house panel. These plans must be submitted prior to the issuance of building permit.

Prior to Issuance of Certificate of Occupancy

98. Gates and Access. All manual and electronic gates on required Fire Department access roads or gates obstructing Fire Department building access shall be provided with the Knox Rapid entry system for emergency access by firefighting personnel (CFC Chapter 5).
99. Hydrant Verification. Hydrant locations shall be identified by the installation of reflective markers (blue dots) (Temecula Municipal Code Section 15.16.020).
100. Knox Box. A "Knox-Box" shall be provided. The Knox-Box shall be installed a minimum of six feet in height and be located to the right side of the fire riser sprinkler room (CFC Chapter 5).
101. Addressing. New and existing buildings shall have approved address numbers, building numbers or approved building identification placed in a position that is plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Commercial buildings shall have a minimum of 12-inch numbers with suite numbers being a minimum of six inches in size. (CFC Chapter 5 and Temecula Municipal Code Section 15.16.020).
102. Site Plan. The applicant shall prepare and submit to the Fire Department for approval, a site plan designating fire lanes with appropriate lane painting and/or signs (CFC Chapter 5).
103. Additional Submittals (Fire Above/Below Ground Tanks). The developer/applicant shall be responsible for obtaining underground and/or aboveground tank permits for the storage of combustible liquids, flammable liquids or any other hazardous materials from both the County Health Department and Fire Prevention Bureau. Plans shall be submitted electronically for review and approval prior to the installation or use of any above/below ground storage tanks. (CFC Chapter 57 and Temecula Municipal Code Section 15.16.020).

104. Additional Submittals (Hazardous Materials). The applicant shall submit electronically for review and approval by the City Fire Department a Hazardous Material Inventory Statement and Fire Department Technical Report. A full hazardous materials inventory report and color coded floor plan is required for any building storing or using hazardous materials (CFC Chapters 1 and 50 through 67 and Temecula Municipal Code Section 15.16.020).

POLICE DEPARTMENT

General Requirements

105. Trees. Applicant shall ensure any trees surrounding building rooftops be kept at a distance to prevent roof accessibility by would-be burglars. Since trees also act as a natural ladder, the branches must be pruned to have a six-foot clearance from the buildings.
106. Knox Box. Knox boxes with Police access are required at each gate leading into the property. Where access to or within a structure or an area is restricted because of secured opening or where immediate access is necessary for life-saving purposes, the Temecula Police Department is authorized to require a key box to be installed in an approved location. The key box shall be of an approved type and shall contain keys to gain necessary access.
107. Exterior Building Lighting. All lighting affixed to the exterior of buildings less than 8 feet high shall be vandal resistant.
108. Exterior Door Illumination. All exterior doors shall have a vandal resistant light fixture installed above the door. The doors shall be illuminated with a minimum one-foot candle illumination at ground level, evenly dispersed.
109. Hardware. All doors, windows, locking mechanisms, hinges, and other miscellaneous hardware shall be commercial or institution grade.
110. Graffiti. Any graffiti painted or marked upon the buildings or other structures must be removed or painted over within 24 hours of being discovered. Report all such crimes to the Temecula Police 24-hour dispatch Center at (951) 696-HELP
111. Alarm System. Upon completion of construction, each building or business shall have an alarm system that is monitored by a designated private alarm company to notify the Temecula Police Department of any intrusion. All multi-tenant offices/suites/businesses located within a specific building shall each have their own alarm system. This condition is not applicable if the business is open 24/7.

112. Crime Prevention Through Design. Crime prevention through environmental design, as developed by the National Crime Prevention Institute (NCPI), supports the concept that "the proper design and effective use of the built environment can lead to a reduction in the fear and incidence of crime and an improvement in the quality of life." The nine primary strategies that support this concept are included below: 1. Provide clear border definition of controlled space. Examples of border definition may include fences, shrubbery, or signs in exterior areas. Within a building, the arrangement of furniture and color definition can serve as a means of identifying controlled space. 2. Provide clearly marked transitional zones. Persons need to be able to identify when they are moving from public to semi-public to private space. 3. Gathering or congregating areas to be located or designated in locations where there is good surveillance and access control. 4. Place safe activities in unsafe locations. Safe activities attract normal users to a location and subsequently render the location less attractive to abnormal users due to observation and possible intervention. 5. Place unsafe activities in safe locations. Placing unsafe activities in areas of natural surveillance or controlled access will help overcome risk and make the users of the areas feel safer. 6. Redesign the use of space to provide natural barriers. Separate activities that may conflict with each other (outdoor basketball court and children's play area, for example) by distance, natural terrain or other functions to avoid such conflict. 7. Improve scheduling of space. The timing in the use of space can reduce the risk for normal users and cause abnormal users to be of greater risk of surveillance and intervention. 8. Redesign space to increase the perception of natural surveillance. Abnormal users need to be aware of the risk of detection and possible intervention. Windows and clear lines-of-sight serve to provide such a perception of surveillance. 9. Overcome distance and isolation. This strategy may be accomplished through improved communications (portable two-way radios, for example) and design efficiencies, such as the location of restrooms in a public building.
113. Business Security Survey. The Crime Prevention and Plans Unit of the Temecula Police Department offers free business security surveys, to schedule an appointment contact the unit at (951) 506-5132.
114. Contact. Any questions regarding these conditions should be directed to the Temecula Police Department Crime Prevention and Plans Unit at (951) 506-5132.
115. Dumpster Enclosures. All refuse storage and disposal areas shall be maintained in a clean, odorless and nuisance free manner.