

EXHIBIT A
CITY OF TEMECULA
DRAFT CONDITIONS OF APPROVAL

Planning Application No.: PA21-0132 & PA21-0524

Project Description: Mountain View Building 8 Development Plan: A Development Plan to allow for the construction of an approximately 17,329 square foot industrial building and PA21-0524, a Minor Exception to allow for a reduction in landscape requirements. The project is generally located approximately 1,500 feet west of the Avenida Alvarado and Tierra Alta Way.

Assessor's Parcel No.: 909-290-056

MSHCP Category: Industrial

DIF Category: Business Park/Industrial

TUMF Category: Per WRCOG Requirements

Quimby Category: N/A (Non-Residential Project)

New Street In-lieu of Fee: N/A (Not Located within the Uptown Temecula Specific Plan)

Approval Date: May 5, 2021

Expiration Date: May 5, 2024

PLANNING DIVISION

Within 48 Hours of the Approval

1. Filing Notice of Exemption. The applicant/developer shall deliver to the Planning Division a cashier's check or money order made payable to the County Clerk in the amount of Fifty Dollars (\$50.00) for the County administrative fee, to enable the City to file the Notice of Exemption as provided under Public Resources Code Section 21152 and California Code of Regulations Section 15062. If within said 48-hour period the applicant/ developer has not delivered to the Planning Division the check as required above, the approval for the project granted shall be void by reason of failure of condition (Fish and Wildlife Code Section 711.4(c)).

General Requirements

2. ADA Parking. All ADA parking stalls on the premises shall be marked in accordance with Section 22511.8 of the California Vehicle Code.

3. Indemnification of the City. The applicant and owner of the real property subject to this condition shall hereby agree to indemnify, protect, hold harmless, and defend the City and its attorneys from any and all claims, actions, awards, judgments, or proceedings against the City to attack, set aside, annul, or seek monetary damages resulting, directly or indirectly, from any action in furtherance of and the approval of the City, or any agency or instrumentality thereof, advisory agency, appeal board or legislative body including actions approved by the voters of the City, concerning the Planning Application. The City shall be deemed for purposes of this condition, to include any agency or instrumentality thereof, or any of its elected or appointed officials, officers, employees, consultants, contractors, legal counsel, and agents. City shall promptly notify both the applicant and landowner of any claim, action, or proceeding to which this condition is applicable and shall further cooperate fully in the defense of the action. The City reserves the right to take any and all action the City deems to be in the best interest of the City and its citizens in regards to such defense.
4. Test Bond Language. The developer shall comply with the provisions of Chapter 24, Section 18.24.140 of the Temecula Municipal Code by posting security and entering into an agreement to guarantee the erosion & sediment control improvements.”
5. Expiration. This approval shall be used within three years of the approval date; otherwise, it shall become null and void. Use means the beginning of substantial construction contemplated by this approval within the three-year period, which is thereafter diligently pursued to completion, or the beginning of substantial utilization contemplated by this approval, or use of a property in conformance with a Conditional Use Permit.
A modification made to an approved development plan does not affect the original approval date of a development plan.
6. Time Extension. The Director of Community Development may, upon an application being filed prior to expiration, and for good cause, grant a time extension of up to five extensions of time, one year at a time.
A modification made to an approved development plan does not affect the original approval date of a development plan.
7. Conformance with Approved Plans. The development of the premises shall substantially conform to the approved site plan and elevations contained on file with the Planning Division.
8. Signage Permits. A separate building permit shall be required for all signage.
9. Landscape Maintenance. Landscaping installed for the project shall be continuously maintained to the reasonable satisfaction of the Director of Community Development. If it is determined that the landscaping is not being maintained, the Director of Community Development shall have the authority to require the property owner to bring the landscaping into conformance with the approved landscape plan. The continued maintenance of all landscaped areas shall be the responsibility of the developer or any successors in interest.
10. Water Quality and Drainage. Other than stormwater, it is illegal to allow liquids, gels, powders, sediment, fertilizers, landscape debris, and waste from entering the storm drain system or from leaving the property. To ensure compliance with this Condition of Approval:
 - a. Spills and leaks shall be cleaned up immediately.
 - b. Do not wash, maintain, or repair vehicles on-site.
 - c. Do not hose down parking areas, sidewalks, alleys, or gutters.
 - d. Ensure that all materials and products stored outside are protected from rain.
 - e. Ensure all trash bins are covered at all times.

11. Paint Inspection. The applicant shall paint a three-foot-by-three-foot section of the building for Planning Division inspection, prior to commencing painting of the building.
12. Photographic Prints. The applicant shall submit to the Planning Division for permanent filing two 8" X 10" glossy photographic color prints of the approved color and materials board and the colored architectural elevations. All labels on the color and materials board and elevations shall be readable on the photographic prints.
13. Materials and Colors. The Conditions of Approval specified in this resolution, to the extent specific items, materials, equipment, techniques, finishes or similar matters are specified, shall be deemed satisfied by City staff's prior approval of the use or utilization of an item, material, equipment, finish or technique that City staff determines to be the substantial equivalent of that required by the Conditions of Approval. Staff may elect to reject the request to substitute, in which case the real party in interest may appeal, after payment of the regular cost of an appeal, the decision to the Planning Commission for its decision.
Main Walls: Moderate White (SW6140), Worldy Gray (SW7043), Cordovan (SW6027), Connected Gray (SW6165),
Glazing: PPG (Vistacool Pacific)
14. Modifications or Revisions. The permittee shall obtain City approval for any modifications or revisions to the approval of this project.
15. Trash Enclosures. The trash enclosures shall be large enough to accommodate a recycling bin, as well as regular solid waste containers.
16. Trash Enclosures. Trash enclosures shall be provided to house all trash receptacles utilized on the site. These shall be clearly labeled on the site plan.
17. Covered Trash Enclosures. All trash enclosures on site shall include a solid cover and the construction plans shall include all details of the trash enclosures, including the solid cover.
18. Landscape Pre-construction Meeting. Prior to issuance of any Building Permits, a pre-construction landscape meeting shall be held between the project manager, assigned Planner, and the City's landscape consultant.
19. Construction and Demolition Debris. The developer shall contact the City's franchised solid waste hauler for disposal of construction and demolition debris and shall provide the Planning Division verification of arrangements made with the City's franchise solid waste hauler for disposal of construction and demolition debris. Only the City's franchisee may haul demolition and construction debris.
20. Public Art Ordinance. The applicant shall comply with the requirements of the City's Public Art Ordinance as defined in Section 5.08 of the Temecula Municipal Code.
21. Property Maintenance. All parkways, including within the right-of-way, entryway median, landscaping, walls, fencing, recreational facilities, and on-site lighting shall be maintained by the property owner or maintenance association.

Prior to Issuance of Grading Permit

23. Placement of Transformer. Provide the Planning Division with a copy of the underground water plans and electrical plans for verification of proper placement of transformer(s) and double detector check valves prior to final agreement with the utility companies.
24. Placement of Double Detector Check Valves. Double detector check valves shall be installed at locations that minimize their visibility from the public right-of-way, subject to review and approval by the Director of Community Development.

25. Archaeological/Cultural Resources Grading Note. The following shall be included in the Notes Section of the Grading Plan: "If at any time during excavation/construction of the site, archaeological/cultural resources, or any artifacts or other objects which reasonably appears to be evidence of cultural or archaeological resource are discovered, the property owner shall immediately advise the City of such and the City shall cause all further excavation or other disturbance of the affected area to immediately cease. The Director of Community Development at his/her sole discretion may require the property owner to deposit a sum of money it deems reasonably necessary to allow the City to consult and/or authorize an independent, fully qualified specialist to inspect the site at no cost to the City, in order to assess the significance of the find. Upon determining that the discovery is not an archaeological/ cultural resource, the Planning Director shall notify the property owner of such determination and shall authorize the resumption of work. Upon determining that the discovery is an archaeological/cultural resource, the Planning Director shall notify the property owner that no further excavation or development may take place until a mitigation plan or other corrective measures have been approved by the Planning Director."
26. Cultural Resources Treatment Agreement. The developer is required to enter into a Cultural Resources Treatment Agreement with the Pechanga Tribe. The agreement shall be in place prior to issuance of a grading permit. To accomplish this, the applicant should contact the Pechanga Tribe no less than 30 days and no more than 60 days prior to issuance of a grading permit. This Agreement will address the treatment and disposition of cultural resources, the designation, responsibilities, and participation of professional Pechanga Tribal monitors during grading, excavation and ground disturbing activities; project grading and development scheduling; terms of compensation for the monitors; and treatment and final disposition of any cultural resources, sacred sites, and human remains discovered onsite. The Pechanga monitor's authority to stop and redirect grading will be exercised in consultation with the project archaeologist in order to evaluate the significance of any potential resources discovered on the property. Pechanga and archaeological monitors shall be allowed to monitor all grading, excavation and groundbreaking activities, and shall also have the limited authority to stop and redirect grading activities should an inadvertent cultural resource be identified.
27. Discovery of Cultural Resources. The following shall be included in the Notes Section of the Grading Plan: "If cultural resources are discovered during the project construction (inadvertent discoveries), all work in the area of the find shall cease, and the qualified archaeologist and the Pechanga monitor shall investigate the find, and make recommendations as to treatment."
28. Archaeological Monitoring Notes. The following shall be included in the Notes Section of the Grading Plan: "A qualified archaeological monitor will be present and will have the authority to stop and redirect grading activities, in consultation with the Pechanga Tribe and their designated monitors, to evaluate the significance of any archaeological resources discovered on the property."
29. Tribal Monitoring Notes. The following shall be included in the Notes Section of the Grading Plan: "A Pechanga Tribal monitor will be present and will have the authority to stop and redirect grading activities, in consultation with the project archaeologist and their designated monitors, to evaluate the significance of any potential resources discovered on the property."
30. Relinquishment of Cultural Resources. The following shall be included in the Notes Section of the Grading Plan: "The landowner agrees to relinquish ownership of all cultural resources, including all archaeological artifacts that are found on the project area, to the Pechanga Tribe for proper treatment and disposition."

31. Preservation of Sacred Sites. The following shall be included in the Notes Section of the Grading Plan: "All sacred sites are to be avoided and preserved."
32. Rough Grading Plans. A copy of the Rough Grading Plans shall be submitted and approved by the Planning Division.
33. Archaeologist Retained. Prior to beginning project construction, the Project Applicant shall retain a Riverside County qualified/City of Temecula approved archaeological monitor to monitor all ground-disturbing activities in an effort to identify any unknown archaeological resources. Any newly discovered cultural resource deposits shall be subject to a cultural resources evaluation (See PL-4). The archaeological monitor's authority to stop and redirect grading will be exercised in consultation with the Pechanga Tribe in order to evaluate the significance of any potential resources discovered on the property. Pechanga and archaeological monitors shall be allowed to monitor all grading, excavation and groundbreaking activities, and shall also have the limited authority to stop and redirect grading activities should an inadvertent cultural resource be identified. The archaeologist shall provide a final monitoring report at the end of all earthmoving activities to the City of Temecula, the Pechanga Tribe and the Eastern Information Center at UC, Riverside.
34. Human Remains. If human remains are encountered, California Health and Safety Code Section 7050.5 states that no further disturbance shall occur until the Riverside County Coroner has made the necessary findings as to origin. Further, pursuant to California Public Resources Code Section 5097.98(b) remains shall be left in place and free from disturbance until a final decision as to the treatment and disposition has been made. If the Riverside County Coroner determines the remains to be Native American, the Native American Heritage Commission must be contacted within 24 hours. The Native American Heritage Commission must then immediately identify the "most likely descendant(s)" of receiving notification of the discovery. The most likely descendant(s) shall then make recommendations within 48 hours, and engage in consultations concerning the treatment of the remains as provided in Public Resources Code 5097.98 and the Treatment Agreement described in these conditions.

Prior to Issuance of Building Permit

35. Parking Area Landscaping. The Landscaping and Irrigation Plans shall provide a minimum five-foot wide planter to be installed at the perimeter of all parking areas. Curbs, walkways, etc. are not to infringe on this area.
36. Transportation Uniform Mitigation Fee (TUMF). The Western Riverside County of Governments administers and collects the Transportation Uniform Mitigation Fee (TUMF). The City of Temecula adopted an ordinance on March 31, 2003 for a Riverside County area wide Transportation Uniform Mitigation Fee (TUMF). This project is subject to payment of these fees at the time of building permit issuance (paid to WRCOG). The fees are subject to the provisions of Chapter 15.08 of the Temecula Municipal Code and the fee schedule in effect at the time of building permit issuance. Additional information on payment, fees, and points of contact can be found at <http://www.wrcog.ca.us/174/TUMF>
37. Downspouts. All downspouts shall be internalized.
38. Development Impact Fee (DIF). The developer shall comply with the provisions of Title 15, Chapter 15.06 of the Temecula Municipal Code and all its resolutions by paying the appropriate City fee.

39. Photometric Plan. The applicant shall submit a photometric plan, including the parking lot, to the Planning Division, which meets the requirements of the Development Code and the Riverside County Palomar Lighting Ordinance 655. All exterior LED light fixtures shall be 3,000 kelvin or below. The parking lot light standards shall be placed in such a way as to not adversely affect the growth potential of the parking lot trees.
40. Construction Landscaping and Irrigation Plans. Four (4) copies of Construction Landscaping and Irrigation Plans shall be reviewed and approved by the Planning Division. These plans shall be submitted as a separate submittal, not as part of the building plans or other plan set. These plans shall conform to the approved conceptual landscape plan, or as amended by these conditions. The location, number, height and spread, water usage or KC value, genus, species, and container size of the plants shall be shown. The plans shall be consistent with the Water Efficient Ordinance and Water Storage Contingency Plan per the Rancho California Water District. The plans shall be accompanied by the appropriate filing fee (per the City of Temecula Fee Schedule at time of submittal) and one copy of the approved Grading Plan.
41. Landscaping Site Inspections. The Landscaping and Irrigation Plans shall include a note stating, "Three landscape site inspections are required. The first inspection will be conducted at installation of irrigation while trenches are open. This will verify that irrigation equipment and layout is per plan specifications and details. Any adjustments or discrepancies in actual conditions will be addressed at this time and will require an approval to continue. Where applicable, a mainline pressure check will also be conducted. This will verify that the irrigation mainline is capable of being pressurized to 150 psi for a minimum period of two hours without loss of pressure. The second inspection will verify that all irrigation systems are operating properly, and to verify that all plantings have been installed consistent with the approved construction landscape plans. The third inspection will verify property landscape maintenance for release of the one-year landscape maintenance bond." The applicant/owner shall contact the Planning Division to schedule inspections.
42. Agronomic Soils Report. The Landscaping and Irrigation Plans shall include a note on the plans stating, "The contractor shall provide two copies of an agronomic soils report at the first irrigation inspection."
43. Water Usage Calculations. The Landscaping and Irrigation Plans shall include water usage calculations per Chapter 17.32 of the Development Code (Water Efficient Ordinance), the total cost estimate of plantings and irrigation (in accordance with approved plan). Applicant shall use evapotranspiration (ET_o) factor of 0.70 for calculating the maximum allowable water budget.
44. Landscape Maintenance Program. A landscape maintenance program shall be submitted to the Planning Division for approval. The landscape maintenance program shall detail the proper maintenance of all proposed plant materials to assure proper growth and landscape development for the long-term esthetics of the property. The approved maintenance program shall be provided to the landscape maintenance contractor who shall be responsible to carry out the detailed program.

45. Specifications of Landscape Maintenance Program. Specifications of the landscape maintenance program shall indicate, "Three landscape site inspections are required. The first inspection will be conducted at installation of irrigation while trenches are open. This will verify that irrigation equipment and layout is per plan specifications and details. Any adjustments or discrepancies in actual conditions will be addressed at this time and will require an approval to continue. Where applicable, a mainline pressure check will also be conducted. This will verify that the irrigation mainline is capable of being pressurized to 150 psi for a minimum period of two hours without loss of pressure. The second inspection will verify that all irrigation systems are operating properly, and to verify that all plantings have been installed consistent with the approved construction landscape plans. The third inspection will verify property landscape maintenance for release of the one-year landscape maintenance bond." The applicant/owner shall contact the Planning Division to schedule inspections.
46. Irrigation. The landscaping plans shall include automatic irrigation for all landscaped areas and complete screening of all ground mounted equipment from view of the public from streets and adjacent property for private common areas; front yards and slopes within individual lots; shrub planting to completely screen perimeter walls adjacent to a public right-of-way equal to 66 feet or larger; and, all landscaping excluding City maintained areas and front yard landscaping which shall include, but may not be limited to, private slopes and common areas.
47. Hardscaping. The landscape plans shall include all hardscaping for equestrian trails and pedestrian trails within private common areas.
48. Precise Grading Plans. Precise Grading Plans shall be consistent with the approved rough grading plans including all structural setback measurements.
49. Building Construction Plans for Outdoor Areas. Building Construction Plans shall include detailed outdoor areas (including but not limited to decorative furniture, hardscape, etc.) to match the style of the building subject to the approval of the Director of Community Development.
50. Landscaping Requirement for Phased Development. If any phase or area of the project site is not scheduled for development within six months of the completion of grading, the landscaping plans shall indicate it will be temporarily landscaped and irrigated for dust and soil erosion control.
51. WQMP Landscape Compliance. The construction landscape plans shall be consistent with Appendix A, Table 31 of the Low Impact Development (LID) Manual for Southern California for plant materials and treatment facilities, and shall reference the approved precise grading plan for WQMP features.
52. Utility Screening. All utilities shall be screened from public view. Landscape construction drawings shall show and label all utilities and provide appropriate screening. Provide a three-foot clear zone around fire check detectors as required by the Fire Department before starting the screen. Group utilities together in order to reduce intrusion. Screening of utilities is not to look like an after-thought. Plan planting beds and design around utilities. Locate all light poles on plans and ensure that there are no conflicts with trees.
53. Completion of LLA. Lot Line Adjustment (LD21-0054) must be approved and recorded before the issuance of any building permits.

Prior to Release of Power, Building Occupancy or Any Use Allowed by This Permit

54. Screening of Loading Areas. The applicant shall be required to screen all loading areas and roof mounted mechanical equipment from view of the all residences and public right-of-ways. If upon final inspection it is determined that any mechanical equipment, roof equipment or backs of building parapet walls are visible from any portion of the public right-of-way adjacent to the project site, the developer shall provide screening by constructing a sloping tile covered mansard roof element or other screening reviewed and approved by the Director of Community Development.
55. Landscape Installation Consistent with Construction Plans. All required landscape planting and irrigation shall have been installed consistent with the approved construction plans and shall be in a condition acceptable to the Director of Community Development. The plants shall be healthy and free of weeds, disease, or pests. The irrigation system shall be properly constructed and in good working order.
56. Performance Securities. Performance securities, in amounts to be determined by the Director of Community Development, to guarantee the maintenance of the plantings in accordance with the approved construction landscape and irrigation plan, shall be filed with the Planning Division for a period of one year from final Certificate of Occupancy. After that year, if the landscaping and irrigation system have been maintained in a condition satisfactory to the Director of Community Development, the bond shall be released upon request by the applicant.
57. Installation of Site Improvements. All site improvements, including but not limited to, parking areas and striping shall be installed.
58. Compliance with Conditions of Approval. All of the foregoing conditions shall be complied with prior to occupancy or any use allowed by this permit.

Outside Agencies

59. Flood Protection. Flood protection shall be provided in accordance with the Riverside County Flood Control Districts transmittal dated February 25, 2021, a copy of which is attached. The fee is made payable to the Riverside County Flood Control Water District by either a cashier's check or money order, prior to the issuance of a grading permit (unless deferred to a later date by the District), based upon the prevailing area drainage plan fee.
60. Compliance with Dept. of Environmental Health. The applicant shall comply with the recommendations set forth by the County of Riverside Department of Environmental Health.
61. Compliance with EMWD. The applicant shall comply with the recommendations set forth in the Eastern Municipal Water District's transmittal dated April 15, 2021, a copy of which is attached.
62. Compliance with RCWD. The applicant shall comply with the recommendations set forth in the Rancho California Water District's transmittal dated April 12, 2021, a copy of which is attached.

PUBLIC WORKS DEPARTMENT

General Requirements

63. Conditions of Approval. The developer shall comply with all Conditions of Approval, the Engineering and Construction Manual and all City codes/standards at no cost to any governmental agency.

64. Entitlement Approval. The developer shall comply with the approved site plan, the conceptual Water Quality Management Plan (WQMP) and other relevant documents approved during entitlement. Any significant omission to the representation of site conditions may require the plans to be resubmitted for further review and revision.
65. Precise Grading Permit. A precise grading permit for on site improvements (outside of public right-of-way) shall be obtained from Public Works.
66. Haul Route Permit. A haul route permit may be required when soils are moved on public roadways to or from a grading site. The developer/contractor is to verify if the permit is required. If so, he shall comply with all conditions and requirements per the City's Engineering and Construction Manual and as directed by Public Works.
67. Encroachment Permits. Prior to commencement of any applicable construction, encroachment permit(s) are required; and shall be obtained:
 - a. from Public Works for public offsite improvements;
 - b. from the California Department of Transportation if encroaching within their right-of-way; and
 - c. from Riverside County Flood Control & Water Conservation District (RCFC&WCD) if encroaching within their right-of-way.
68. Street Improvement Plans. The developer shall submit public/private street improvement plans for review and approval by Public Works. The plans shall be in compliance with Caltrans and City codes/standards; and shall include, but not limited to, plans and profiles showing existing topography, existing/proposed utilities, proposed centerline, top of curb and flowline grades.
69. Storm Drain Improvement Plans. The developer shall submit storm drain improvement plans if the street storm flows exceeds top of curb for the 10-year storm event and/or is not contained within the street right-of-way for the 100-year storm event. A manhole shall be constructed at right-of-way where a private and public storm drain systems connect. The plans shall be approved by Public Works.
70. Private Drainage Facilities. All onsite drainage and water quality facilities shall be privately maintained.

Prior to Issuance of a Grading Permit

71. Environmental Constraint Sheet (ECS). The developer shall comply with all constraints per the recorded ECS with any underlying maps related to the subject property.
72. Grading/Erosion & Sediment Control Plan. The developer shall submit a grading/erosion & sediment control plan(s) to be reviewed and approved by Public Works. All plans shall be coordinated for consistency with adjacent projects and existing improvements contiguous to the site. The approved plan shall include all construction-phase pollution-prevention controls to adequately address non-permitted runoff. Refer to the City's Engineering & Construction Manual at: www.TemeculaCA.gov/ECM
73. Erosion & Sediment Control Securities. The developer shall comply with the provisions of Chapter 24, Section 18.24.140 of the Temecula Municipal Code by posting security and entering into an agreement to guarantee the erosion & sediment control improvements.

74. NPDES General Permit Compliance. The developer shall obtain project coverage under the State National Pollutant Discharge Elimination System (NPDES) General Permit for Construction Activities and shall provide the following:
- a. A copy of the Waste Discharge Identification Number (WDID) issued by the State Water Resources Control Board (SWRCB);
 - b. The project's Risk Level (RL) determination number; and
 - c. The name, contact information and certification number of the Qualified SWPPP Developer (QSD)
- Pursuant to the State Water Resources Control Board (SWRCB) requirements and City's storm water ordinance, a Storm Water Pollution Prevention Plan (SWPPP) shall be generated and submitted to the Board. Throughout the project duration, the SWPPP shall be routinely updated and readily available (onsite) to the State and City. Review www.cabmphandbooks.com for SWPPP guidelines. Refer to the following link: http://www.waterboards.ca.gov/water_issues/programs/stormwater/construction.shtml
75. Water Quality Management Plan (WQMP) and O&M Agreement. The developer shall submit a final WQMP (prepared by a registered professional engineer) with the initial grading plan submittal, based on the conceptual WQMP from the entitlement process. It must receive acceptance by Public Works. A copy of the final project-specific WQMP must be kept onsite at all times. In addition, a completed WQMP Operation and Maintenance (O&M) Agreement shall be submitted for review and approval. Upon approval from City staff, the applicant shall record the O&M agreement at the County Recorder's Office in Temecula. Refer to the WQMP template and agreement link: www.TemeculaCA.gov/WQMP. As part of the WQMP approval, the Engineer of Record shall report and certify BMP construction per City of Temecula NPDES requirements. Should the project require Alternative Compliance, the developer is responsible for execution of an approved Alternative Compliance Agreement.
76. Drainage. All applicable drainage shall be depicted on the grading plan and properly accommodated with onsite drainage improvements and water quality facilities, which shall be privately maintained. Alterations to existing drainage patterns or concentration and/or diverting flows is not allowed unless the developer constructs adequate drainage improvements and obtains the necessary permissions from the downstream property owners. All drainage leaving the site shall be conveyed into a public storm drain system, if possible. The creation of new cross lot drainage is not permitted.
77. Drainage Study. A drainage study shall be prepared by a registered civil engineer and submitted to Public Works with the initial grading plan check in accordance with City, Riverside County and engineering standards. The study shall identify storm water runoff quantities (to mitigate the 10 and 100-year storm event for 24 hour storm duration peak flow) from the development of this site and upstream of the site. It shall identify all existing or proposed offsite or onsite, public or private, drainage facilities intended to discharge this runoff. Runoff shall be conveyed to an adequate outfall capable of receiving the storm water runoff without damage to public or private property. The study shall include a capacity analysis verifying the adequacy of all facilities. Any upgrading or upsizing of drainage facilities necessary to convey the storm water runoff shall be provided as part of development of this project.
78. Soils Report. A soils report, prepared by a registered soil or civil engineer, shall be submitted to Public Works with the initial grading plan submittal. The report shall address the site's soil conditions and provide recommendations for the construction of engineered structures and preliminary pavement sections.

79. Geological Report. The developer shall complete any outstanding County geologist's requirements, recommendations and/or proposed Conditions of Approval as identified during entitlement.
80. Letter of Permission/Easement. The developer shall obtain documents (letters of permission or easements) for any offsite work performed on adjoining properties. The document's format is as directed by, and shall be submitted to, Public Works for acceptance. The document information shall be noted on the approved grading plan.
81. Ingress/Egress Easement. The developer shall obtain an easement for ingress and egress over adjacent properties. The easement information shall be noted on the approved grading plan.
82. Habitat Conservation Fee. The developer shall comply with the provisions of Chapter 8.24 of the Temecula Municipal Code (Habitat Conservation) by paying the appropriate fee set forth in the ordinance or by providing documented evidence that the fees have already been paid.
83. American Disability Act. The developer shall ensure that all frontage areas to the proposed development within the public right of way are ADA compliant. Any sidewalk within the public right of way found to be non-compliant shall be the responsibility of the property owner to be removed and replaced with ADA compliant sidewalk per the Streets and Highway Code Section 5610.

Prior to Issuance of Encroachment Permit(s)

84. Public Utility Agency Work. The developer shall submit all relevant documentation due to encroaching within City right-of-way; and is responsible for any associated costs and for making arrangements with each applicable public utility agency.
85. Traffic Control Plans. A construction area traffic control plan (TCP) will be required for lane closures and detours or other disruptions to traffic circulation; and shall be reviewed and approved by Public Works. The TCP shall be designed by a registered civil or traffic engineer in conformance with the latest edition of the Caltrans Manual on Uniform Traffic Control Devices (MUTCD) and City standards.
86. Improvement Plans. All improvement plans (including but not limited to street, storm drain, traffic) shall be reviewed and approved by Public Works.
87. Street Trenching. All street trenches shall conform to City Standard No. 407; refer to the City's Paving Notes.

Prior to Issuance of Building Permit(s)

88. Lot Line Adjustment. A Lot Line Adjustment shall be submitted, approved and recorded.
89. Construction of Street Improvements. All street improvement plans shall be approved by Public Works. The developer shall start construction of all public and/or private street improvements, as outlined below, in accordance to the City's General Plan/Circulation Element and corresponding City standards. All street improvement designs shall provide adequate right-of-way and pavement transitions per Caltrans' standards to join existing street improvements.
 - a. Avenida Alvarado (Collector (2 lanes undivided) Standard No. 103A – 66' 78' R/W) to include installation of paving, curb and gutter, sidewalk, drainage facilities, street lights, signing and striping and utilities (including but not limited to water and sewer).

90. Undergrounding Wires. All existing and proposed electrical and telecommunication lines, except electrical lines rated 34KV or greater, shall be installed underground per Title 15, Chapter 15.04 of the Temecula Municipal Code and utility provider's standards. The developer is responsible for any associated costs, for making arrangements with each utility agency and for obtaining the necessary easements
91. Street Lights. a. Street Light Plan – Street lighting shall be designed in accordance with the latest City Standards and Specifications for LS-3 street light rates, and as determined by the City Engineer.
b. Onsite and Offsite Street Lights Ownership and Maintenance – All proposed public and private street lights shall be designed in accordance with City approved standards and specifications, or as determined and approved by the City Engineer. The City shall have ownership and maintenance of all proposed public street lights and associated appurtenances, and shall be provided with adequate service points for power. The design shall be incorporated in the project's street improvement plans or in a separate street light plan as determined and approved by the City Engineer.
c. Streetlight Design as LS-3 Rate Lights – All new streetlights, other than traffic signal safety lights, shall be designed as LS-3 rate lights in accordance with approved City standards and specifications, and as determined by the City Engineer.
d. Street Light Service Point Addressing – The developer shall coordinate with the PW Department and with Southern California Edison the assignment of addresses to required street light service points. Service points serving public streetlights shall be owned by the City and shall be located within public's right of way or within duly dedicated public easements.
92. Certifications. Certifications are required from the registered civil engineer-of-record certifying the building pad elevation(s) per the approved plans and from the soil's engineer-of-record certifying compaction of the building pad(s).

Prior to Issuance of a Certificate of Occupancy

93. Completion of Improvements. The developer shall complete all work per the approved plans and Conditions of Approval to the satisfaction of the City Engineer. This includes all on site work (including water quality facilities), public improvements and the executed WQMP Operation and Maintenance agreement.
94. Utility Agency Clearances. The developer shall receive written clearance from applicable utility agencies (i.e., Rancho California and Eastern Municipal Water Districts, etc.) for the completion of their respective facilities and provide to Public Works.
95. Replacement of Damaged Improvements/Monuments. Any appurtenance damaged or broken during development shall be repaired or removed and replaced to the satisfaction of Public Works. Any survey monuments damaged or destroyed shall be reset per City Standards by a qualified professional pursuant to the California Business and Professional Code Section 8771.
96. Certifications. All necessary certifications and clearances from engineers, utility companies and public agencies shall be submitted as required by Public Works.

BUILDING AND SAFETY DIVISION

General Requirements

97. Final Building and Safety Conditions. Final Building and Safety conditions will be addressed when building construction plans are submitted to Building and Safety for review. These conditions will be based on occupancy, use, the California Building Code (CBC), and related codes which are enforced at the time of building plan submittal.

98. Compliance with Code. All design components shall comply with applicable provisions of the most current edition of the California Building, Plumbing and Mechanical Codes; California Electrical Code; California Administrative Code, Title 24 Energy Code, California Title 24 Disabled Access Regulations, and Temecula Municipal Code as identified in Title 15 of the Temecula Municipal Code.
99. ADA Access. Applicant shall provide details of all applicable disabled access provisions and building setbacks on plans to include:
- Disabled access from the public way to the main entrance of the building.
 - Van accessible parking located as close as possible to the main entrance of the building.
 - Accessible path of travel from parking to the furthest point of improvement.
 - Path of accessibility from parking to furthest point of improvement.
 - Accessible path of travel from public right-of-way to all public areas on site, such as trash enclosures, clubhouses, and picnic areas.
100. County of Riverside Mount Palomar Ordinance. Applicant shall submit, at time of plan review, a complete exterior site lighting plan showing compliance with County of Riverside Mount Palomar Ordinance Number 655 for the regulation of light pollution. All streetlights and other outdoor lighting shall be shown on electrical plans submitted to the Building and Safety Division. Any outside lighting shall be hooded and aimed not to shine directly upon adjoining property or public rights-of-way. All exterior LED light fixtures shall be 3,000 kelvin or below.
101. Street Addressing. Applicant must obtain street addressing for all proposed buildings by requesting street addressing and submitting a site plan for commercial or multi-family residential projects or a recorded final map for single-family residential projects.
102. Clearance from TVUSD. A receipt or clearance letter from the Temecula Valley Unified School District shall be submitted to the Building and Safety Department to ensure the payment or exemption from School Mitigation Fees.
103. Obtain Approvals Prior to Construction. Applicant must obtain all building plans and permit approvals prior to commencement of any construction work.
104. Obtaining Separate Approvals and Permits. Trash enclosures, patio covers, light standards, and any block walls will require separate approvals and permits. Solid covers are required over new and existing trash enclosures.
105. Sewer and Water Plan Approvals. On-site sewer and water plans will require separate approvals and permits.
106. Hours of Construction. Signage shall be prominently posted at the entrance to the project, indicating the hours of construction, as allowed by the City of Temecula Municipal Ordinance 9.20.060, for any site within one-quarter mile of an occupied residence. The permitted hours of construction are Monday through Saturday from 7:00 a.m. to 6:30 p.m. No work is permitted on Sundays and nationally recognized Government Holidays.
107. House Electrical Meter. Provide a house electrical meter to provide power for the operation of exterior lighting, irrigation pedestals and fire alarm systems for each building on the site. Developments with single user buildings shall clearly show on the plans how the operation of exterior lighting and fire alarm systems when a house meter is not specifically proposed.

FIRE PREVENTION

General Requirements

108. Fire Hydrants. The Fire Prevention Bureau is required to set minimum fire hydrant distances per CFC Appendix C. Standard fire hydrants (6" x 4" x (2) 2 ½" outlets) shall be located on fire access roads and adjacent public streets. For all Commercial projects hydrants shall be spaced at 350 feet apart, and shall be located no more than 210 feet from any point on the street or Fire Department access road(s) frontage to a hydrant. The required fire flow shall be available from any adjacent hydrant(s) in the system. The fire line may be required to be a looped system. The upgrade of existing fire hydrants may be required (CFC Appendix C and Temecula City Ordinance 15.16.020).
109. Fire Dept. Plan Review. Final fire and life safety conditions will be addressed when building plans are reviewed by the Fire Prevention Bureau. These conditions will be based on occupancy, use, the California Building Code (CBC), California Fire Code (CFC), and related codes which are in force at the time of building plan submittal.
110. Fire Flow. The Fire Prevention Bureau is required to set a minimum fire flow for the remodel or construction of all commercial and residential buildings per CFC Appendix B. The developer shall provide for this project, a water system capable of delivering 2,500 GPM at 20-PSI residual operating pressure for a 4-hour duration for commercial projects. The fire flow as given above has taken into account all information as provided. (CFC Appendix B and Temecula City Ordinance 15.16.020).

Prior to Issuance of Grading Permit(s)

111. Access Road Widths. Fire Department vehicle access roads shall have an unobstructed width of not less than 24 feet and an unobstructed vertical clearance of not less than 13 feet 6 inches (CFC Chapter 5 and City Ordinance 15.16.020).
112. Gradient of Access Roads. The gradient for fire apparatus access roads shall not exceed 15 percent (CFC Chapter 5 and City Ordinance 15.16.020).
113. Fire Dept. Turnaround. Dead end roadways and streets in excess of 150 feet which have not been completed shall have a turnaround capable of accommodating fire apparatus (CFC Chapter 5 and City Ordinance 15.16.020).

Prior to Issuance of Building Permit(s)

114. Required Submittals (Fire Underground Water). The developer shall furnish three copies of the water system plans to the Fire Prevention Bureau for approval prior to installation for all private water systems pertaining to the fire service loop. Plans shall be signed by a registered civil engineer, contain a Fire Prevention Bureau approval signature block, and conform to hydrant type, location, spacing and minimum fire flow standards. Hydraulic calculations will be required with the underground submittal to ensure fire flow requirements are being met for the on-site hydrants. The plans must be submitted and approved prior to building permit being issued (CFC Chapter 33 and Chapter 5).
115. Required Submittals (Fire Sprinkler Systems). Fire sprinkler plans shall be submitted to the Fire Prevention Bureau for approval. Three sets of sprinkler plans must be submitted by the installing contractor to the Fire Prevention Bureau. These plans must be submitted prior to the issuance of building permit.
116. Required Submittals (Fire Alarm Systems). Fire alarm plans shall be submitted to the Fire Prevention Bureau for approval. Three sets of alarm plans must be submitted by the installing contractor to the Fire Prevention Bureau. The fire alarm system is required to have a dedicated circuit from the house panel. These plans must be submitted prior to the issuance of building permit.

Prior to Issuance of Certificate of Occupancy

117. Gates and Access. All manual and electronic gates on required Fire Department access roads or gates obstructing Fire Department building access shall be provided with the Knox Rapid entry system for emergency access by firefighting personnel (CFC Chapter 5).
118. Hydrant Verification. Hydrant locations shall be identified by the installation of reflective markers (blue dots) (City Ordinance 15.16.020).
119. Knox Box. A “Knox-Box” shall be provided. The Knox-Box shall be installed a minimum of six feet in height and be located to the right side of the fire riser sprinkler room (CFC Chapter 5).
120. Addressing. New buildings shall have approved address numbers, building numbers or approved building identification placed in a position that is plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Commercial buildings shall have a minimum of 12-inch numbers with suite numbers being a minimum of six inches in size. All suites shall have a minimum of 6-inch high letters and/or numbers on both the front and rear doors. (CFC Chapter 5 and City Ordinance 15.16.020).
121. Site Plan. The applicant shall prepare and submit to the Fire Department for approval, a site plan designating fire lanes with appropriate lane painting and/or signs (CFC Chapter 5).
122. High Piled Stock. Speculative buildings capable of housing high-piled combustible stock, shall be designed with the following fire protection and life safety features: an automatic fire sprinkler system(s) designed for a specific commodity class and storage arrangement, hose stations, alarm systems, smoke vents, draft curtains, Fire Department access doors and Fire department access roads. Buildings housing high-piled combustible stock shall comply with the provisions of California Fire Code Chapter 32 and all applicable National Fire Protection Association Standards (CFC Chapter 32 and City Ordinance 15.16.020).

POLICE DEPARTMENT

General Requirements

123. Landscape Height. The applicant shall ensure all landscaping surrounding all buildings are kept at a height of no more than three feet or below the ground floor window sills. Plants, hedges and shrubbery shall be defensible plants to deter would-be intruders from breaking into the buildings utilizing lower level windows.
124. Tree Pruning. The applicant shall ensure all trees surrounding all building rooftops be kept at a distance to deter roof accessibility by “would-be burglars.” Since trees also act as a natural ladder, the branches must be pruned to have a six-foot clearance from the buildings.
125. Berm Height. Berms shall not exceed three feet in height.
126. Knox Box. Knox boxes with Police access are required at each gate leading into the property. Where access to or within a structure or an area is restricted because of secured opening or where immediate access is necessary for life-saving purposes, the Temecula Police Department is authorized to require a key box to be installed in an approved location. The key box shall be of an approved type and shall contain keys to gain necessary access.

127. Parking Lot Lighting. All parking lot lighting shall be energy saving and minimized after hours of darkness and in compliance with Title 24, Part 6, of the California Code of Regulations.
128. Exterior Door Lighting. All exterior doors shall have a vandal resistant light fixture installed above the door. The doors shall be illuminated with a minimum one-foot candle illumination at ground level, evenly dispersed.
129. Exterior Building Lighting. All lighting affixed to the exterior of buildings shall be wall mounted light fixtures to provide sufficient lighting during hours of darkness.
130. Outdoor Lighting During Non-Business Hours. The applicant shall comply with the Governor's order to address the power crisis. This order became effective March 18, 2001 calling for a substantial reduction from businesses to cut usage during non-business hours. The order, in part, states, "All California retail establishments, including, but not limited to, shopping centers, auto malls and dealerships, shall substantially reduce maximum outdoor lighting capability during non-business hours except as necessary for the health and safety of the public, employees or property." Failure to comply with this order following a warning by law enforcement officials shall be punishable as a misdemeanor with a fine not to exceed \$1,000 in accordance with Title 24, Part 6, of the California Code of Regulations.
131. Commercial or Institutional Grade Hardware. All doors, windows, locking mechanisms, hinges, and other miscellaneous hardware shall be commercial or institution grade.
132. Graffiti Removal. Any graffiti painted or marked upon the buildings must be removed or painted over within 24 hours of being discovered. Report all such crimes to the Temecula Police 24-hour dispatch Center at (951) 696-HELP.
133. Alarm System. Upon completion of construction, the buildings shall have a monitored alarm system installed and monitored 24 hours a day by a designated private alarm company to notify the Temecula Police Department of any intrusion. All multi-tenant offices/suites/businesses located within a specific building shall have their own alarm system. This condition is not applicable if the business is opened 24/7.
134. Roof Hatches. All roof hatches shall be painted "International Orange."
135. Rooftop Addressing. The construction plans shall indicate the application of painted rooftop addressing plotted on a nine-inch grid pattern with 45-inch tall numerals spaced nine inches apart. The numerals shall be painted with a standard nine-inch paint roller using fluorescent yellow paint applied over a contrasting background. The address shall be oriented to the street and placed as closely as possible to the edge of the building closest to the street.
136. Public Telephones. Any public telephones located on the exterior of the buildings shall be placed in a well-lit, highly visible area, and installed with a "call-out only" feature to deter loitering. This feature is not required for public telephones installed within the interior of the buildings.
137. ADA Parking. All disabled parking stalls on the premises shall be marked in accordance with Section 22511.8 of the California Vehicle Code.
138. Employee Training. Employee training regarding retail/credit card theft, citizens' arrest procedures, personal safety, business security, shoplifting or any other related crime prevention training procedures is also available through the Crime Prevention Unit.

139. Crime Prevention Through Environmental Design. Crime prevention through environmental design as developed by the National Crime Prevention Institute (NCPI) supports the concept that “the proper design and effective use of the built environment can lead to a reduction in the fear and incidence of crime and an improvement in the quality of life.” The nine primary strategies that support this concept are included as conditions below: a. Provide clear border definition of controlled space. Examples of border definition may include fences, shrubbery or signs in exterior areas. Within a building, the arrangement of furniture and color definition can serve as a means of identifying controlled space. b. Provide clearly marked transitional zones. Persons need to be able to identify when they are moving from public to semi-public to private space. c. Gathering or congregating areas to be located or designated in locations where there is good surveillance and access control. d. Place safe activities in unsafe locations. Safe activities attract normal users to a location and subsequently render the location less attractive to abnormal users due to observation and possible intervention. e. Place unsafe activities in safe locations. Placing unsafe activities in areas of natural surveillance or controlled access will help overcome risk and make the users of the areas feel safer. f. Redesign the use of space to provide natural barriers. Separate activities that may conflict with each other (outdoor basketball court and children’s play area, for example) by distance, natural terrain or other functions to avoid such conflict. g. Improve scheduling of space. The timing in the use of space can reduce the risk for normal users and cause abnormal users to be of greater risk of surveillance and intervention. h. Redesign space to increase the perception of natural surveillance. Abnormal users need to be aware of the risk of detection and possible intervention. Windows and clear lines-of-sight serve to provide such a perception of surveillance. i. Overcome distance and isolation. This strategy may be accomplished through improved communications (portable two-way radios, for example) and design efficiencies, such as the location of restrooms in a public building.



RIVERSIDE COUNTY FLOOD CONTROL
AND WATER CONSERVATION DISTRICT

236974

February 25, 2021

City of Temecula
Community Development Department
41000 Main Street,
Temecula CA 92590

Attention: Eric Jones

Re: PA 21-0132 Building 8 Development
APN 909-290-056

The Riverside County Flood Control and Water Conservation District (District) does not normally recommend conditions for land divisions or other land use cases in incorporated cities. The District also does not plan Check city land use cases or provide State Division of Real Estate letters or other flood hazard reports for such cases. District comments/recommendations for such cases are normally limited to items of specific interest to the District including District Master Drainage Plan facilities, other regional flood control and drainage facilities which could be considered a logical component or extension of a master plan system, and District Area Drainage Plan fees (development mitigation fees). In addition, information of a general nature is provided.

The District's review is based on the above-referenced project transmittal, received February 22, 2021. The District **has not** reviewed the proposed project in detail, and the following comments do not in any way constitute or imply District approval or endorsement of the proposed project with respect to flood hazard, public health and safety, or any other such issue:

- ☒ This project would not be impacted by District Master Drainage Plan facilities, nor are other facilities of regional interest proposed.
- ☐ This project involves District proposed Master Drainage Plan facilities, namely, _____. The District will accept ownership of such facilities on written request of the City. Facilities must be constructed to District standards, and District plan check and inspection will be required for District acceptance. Plan check, inspection, and administrative fees will be required.
- ☐ This project proposes channels, storm drains 36 inches or larger in diameter, or other facilities that could be considered regional in nature and/or a logical extension of the adopted Murrieta Creek Master Drainage Plan. The District would consider accepting ownership of such facilities on written request of the City. Facilities must be constructed to District standards, and District plan check and inspection will be required for District acceptance. Plan check, inspection, and administrative fees will be required.
- ☒ This project is located within the limits of the District's Murrieta Creek (☐ Murrieta Valley ☒ Temecula Valley ☐ Santa Gertrudis Valley ☐ Warm Springs Valley) Area Drainage Plan for

which drainage fees have been adopted. If the project is proposing to create additional impervious surface area, applicable fees should be paid by cashier's check or money order only to the Flood Control District or City prior to issuance of grading or building permits. Fees to be paid should be at the rate in effect at the time of issuance of the actual permit.

- ☐ An encroachment permit shall be obtained for any construction related activities occurring within District right of way or facilities, namely, _____. For further information, contact the District's Encroachment Permit Section at 951.955.1266.
- ☐ The District's previous comments are still valid.

GENERAL INFORMATION

This project may require a National Pollutant Discharge Elimination System (NPDES) permit from the State Water Resources Control Board. Clearance for grading, recordation, or other final approval should not be given until the City has determined that the project has been granted a permit or is shown to be exempt.

If this project involves a Federal Emergency Management Agency (FEMA) mapped floodplain, the City should require the applicant to provide all studies, calculations, plans, and other information required to meet FEMA requirements, and should further require the applicant obtain a Conditional Letter of Map Revision (CLOMR) prior to grading, recordation, or other final approval of the project and a Letter of Map Revision (LOMR) prior to occupancy.

If a natural watercourse or mapped floodplain is impacted by this project, the City should require the applicant to obtain a Section 1602 Agreement from the California Department of Fish and Wildlife and a Clean Water Act Section 404 Permit from the U.S. Army Corps of Engineers, or written correspondence from these agencies indicating the project is exempt from these requirements. A Clean Water Act Section 401 Water Quality Certification may be required from the local California Regional Water Quality Control Board prior to issuance of the Corps 404 permit.

Very truly yours,



DEBORAH DE CHAMBEAU
Engineering Project Manager

ec: Riverside County Planning Department
Attn: Phayvahn Nanthavongdouangsy

SLJ:blm



April 15, 2021

City of Temecula
Attn: (Eric Jones)
P O Box 9033
Temecula, CA

Subject: SAN 53 – Will Serve – WS 20210000408 - APN: 909-290-056 (PA 0132)

Eastern Municipal Water District (EMWD) is willing to provide **sewer** services to the subject project. The provisions of service are contingent upon the developer completing the necessary arrangements in accordance with EMWD rules and regulations. EMWD expects the developer to provide proper notification when a water demand assessment is required pursuant to Senate Bill 221 and/or 610. EMWD expects the developer to coordinate with the approving agency for the proper notification. Further arrangements for service from EMWD may also include plan check, facility construction, inspection, jurisdictional annexation, and payment of financial participation charges. The developer is advised to contact EMWD's Development Services Department early in the entitlement process to determine the necessary arrangements for service, and to receive direction on the preparation of facility Design Conditions, which is required prior to final engineering.

EMWD's ability to serve is subject to limiting conditions, such as regulatory requirements, legal issues, or conditions beyond EMWD's control.

Expiration – one year from date of issue

Thank you for your cooperation in serving our mutual customers. If you have any questions, please call me at (951) 928-3777, extension 4467.

Sincerely,

Brian A. Raines, MPA, PE
Associate Civil Engineer II
Development Services Department
Eastern Municipal Water District

BAR:bd

Board of Directors


Philip E. Paule, Vice President Jeff Armstrong Stephen J. Corona Randy A. Record David J. Slawson

2270 Trumble Road • P.O. Box 8300 • Perris, CA 92572-8300

T 951.928.3777 • F 951.928.6177 www.emwd.org



EMWD Hydromapper



SCALE 1:3,753

0 938 Feet

Map Produced 04/14/2021 By EMWD Staff

GIS data shown is for informational purposes only, is subject to change without notice and may not be suitable for legal, engineering, construction, or surveying purposes. Information should be reviewed against reliable sources to ascertain its usability. Eastern Municipal Water District assumes no liability for any incorrect results, any lost profits and direct, special, indirect or consequential damages to any party, arising out of or in connection with the use of the inability to use the data hereon or the services.

Legend

- Wtr Interagency Tie
- Wtr Main
 - As Built
 - CIP
- Wtr Main Abandoned
- Swr Interagency Tie
- Swr Main
 - As Built, Collection
 - As Built, Distribution
 - As Built, Effluent Force
 - As Built, Influent Force
 - As Built, Transmission
 - CIP, Collection
 - CIP, Effluent Force
 - CIP, Influent Force
 - CIP, Transmission
- Swr Main Abandoned
- Swr Main Murrieta
- Streets
- Wtr Pump Station
- Wtr Pump Station Polygon
- Wtr Tank
- Wtr Well
- Wtr Treatment Plant
- Wtr Treatment Plant Polyg

Notes

PO Box 8300, Perris CA 92572-8300

(951) 928-3777

RECEIPT OF PAYMENT

Contact: CITY OF TEMECULA (ERIC JONES) - 41000 MAIN STREET, TEMECULA, CA 92590
Date Paid: 04/15/2021
Project Info: MT VIEW BUSINESS PARK - PM-21382-
Received By: dumasb

Fees Paid:

Description	Reference Numbers	Amount Owing	Amount Paid
WILL SERVE LETTER REQUEST	WS20210000408	\$77.00	\$77.00

Amount Tendered: \$77.00

Change/Overage: \$0.00

Payment Details: **Payment Method**
CHECK

Amount Tendered **Check Number**
\$77.00 1222

Receipt Number: **2021005095**

EMWD
MAIN OFFICE
PO BOX 8300
PERRIS, CA 92572-8300
951-928-3777

Reg# #/Rcpt#: 006-00086175
Accounting Date: Mon, Apr 12, 2021
Date/Time: Fri, Apr 9, 2021 10:20 AM

SPORTCV-CHECK - SPORT/CITYVIEW-CHECK
REF#:MS MOUNTAIN VIEW LLC WSL APN 909-290-056 PA0132
ACCT#:3100-26451-300010-0-000
FEE AMOUNT: \$ 77.00

RECEIPT TOTAL \$ 77.00

Payment Data
Pmt# :1
Payer :MS MOUNTAIN VIEW LLC WSL APN 909-290-056
METHOD :CK \$ 77.00
Ref# : 1222

RECEIPT SUMMARY

TOTAL TENDERED \$ 77.00
RECEIPT TOTAL \$ 77.00

CHANGE DUE \$ 0.00

HAVE A GREAT DAY

v.1.0.52/b



April 12, 2021

Eric Jones, Associate Planner
City of Temecula
41000 Main Street
Post Office Box 9033
Temecula, CA 92589-9033

SUBJECT: WATER AVAILABILITY
42612 AVENIDA ALVARADO
PARCEL NO. 56 OF PARCEL MAP NO. 21382, PA 21-0132
APN 909-290-056
[RIDGE VIEW BUSINESS PARK DEVELOPMENT]

Dear Mr. Jones:

Please be advised that the above-referenced project/property is located within the service boundaries of Rancho California Water District (Rancho Water/District). The subject project/property does not front existing water pipeline facilities. The nearest water facility is located within Avenida Alvarado, approximately 140 feet east of the subject project/property boundary. Please refer to the enclosed exhibit map.

Water service to the subject project/property does not exist. Additions or modifications to water service arrangements are subject to the Rules and Regulations (governing) Water System Facilities and Service, as well as the completion of financial arrangements between Rancho Water and the property owner.

Water service to individual lots will require the extension of water facilities within dedicated public and/or private right-of-ways. Individual water meters will be required for each lot and/or project unit, including separate water services/meters for domestic service, fire service, and landscape irrigation service, as applicable. Beginning in 2018, newly constructed multi-unit residential structures are required to measure the quantity of water supplied to each individual residential dwelling unit.

Where private on-site water facilities (for water service, fire service, irrigation, or other purpose) will cross or will be shared amongst multiple lots/project units (**only by special variance of the Rules and Regulations**), and/or where such 'common' facilities will be owned and maintained by a Property Owners' Association, Rancho Water requires execution and recordation of a *Reciprocal Easement and Maintenance Agreement* or equivalent document of covenants, codes, and restrictions.

21\EP:rm019\F450\FEG

Rancho California Water District

42135 Winchester Road • Post Office Box 9017 • Temecula, California 92589-9017 • (951) 296-6900 • FAX (951) 296-6860 • www.ranchowater.com

Board of Directors

Carol Lee Gonzales-Brady
President

John V. Rossi
Senior Vice President

Brian J. Brady

Angel Garcia

John E. Hoagland

William E. Plummer

Bill Wilson

Officers

Robert S. Grantham
General Manager

Eva Plajzer, P.E.
Assistant General Manager
Engineering and Operations

Richard R. Aragon, CPFO
Assistant General Manager
CFO/Treasurer

Jason A. Martin
Director of Administration

Eileen Dienzo
Director of Human Resources

Kelli E. Garcia
District Secretary

James B. Gilpin
Best Best & Krieger LLP
General Counsel

Water availability is contingent upon the property owner(s) signing an Agency Agreement that assigns water management rights, if any, to Rancho Water. **In addition, water availability is subject to water supply shortage contingency measures in effect (pursuant to Rancho Water's Water Shortage Contingency Plan or other applicable ordinances and policy), and/or the adoption of a required Water Supply Assessment for the development, as determined by the Lead Agency.**

There is no recycled water currently available within the limits established by Resolution 2007-10-5. Should recycled water become available in the future, the project/property may be required to retrofit its facilities to make use of this availability in accordance with Resolution 2007-10-5. Recycled water service, therefore, would be available upon construction of any required on-site and/or off-site recycled water facilities and the completion of financial arrangements between Rancho Water and the property owner. Requirements for the use of recycled water are available from Rancho Water.

As soon as feasible, and prior to the preparation of California Environmental Quality Act (CEQA) documents, the project proponent should contact Rancho Water for a determination of existing water system capability, based upon project-specific demands and/or fire flow requirements, as well as a determination of proposed water facilities configuration. If new facilities are required for service, fire protection, or other purposes, the project proponent should contact Rancho Water for an assessment of project-specific fees and requirements.

Sewer service to the subject project/property, if available, would be provided by Eastern Municipal Water District. If no sewer service is currently available to the subject project/property, all proposed waste discharge systems must comply with the State Water Resources Control Board, health department, and/or other requirements as they relate to the protection of groundwater quality, pursuant to Rancho Water's Groundwater Protection Policy.

If you should have any questions or need additional information, please contact an Engineering Technician at the District office at (951) 296-6900.

Sincerely,

Rancho California Water District



Erica Peter
Senior Engineering Technician

Enclosure: Exhibit Map

cc: Jeff Kirshberg, Water Resources Manager
Corry Smith, Engineering Services Supervisor
MDS, LLC
R. Mario Calvillo



RIO NEDO Road

AVENDA ALVARADO

909-290-056